WIFI Camera Manual V203.0


Power button: ON-Power on; OFF-Power off.

R button: Press R button 3 seconds and release it to restore the factory setting mode.

WIFI device indicator status:

Before connecting to the network: red light flashing, blue light off

Connecting to the network: blue light flashing fast

Successfully connected to the network: blue light on,

Green light : charging indicator light, fully charged, green light off.

One.APP Download

You can download the app by scanning the QR code below.

APP Name: StarEye

Iphone can search the App in App Store to download;

Android phones can download by searching the App in Google play and other markets.

Two. Connection steps

1. Open the app, register and log in.

2. Click on "Add device" ->"Next Step (Check the device has been reset)" ->"Connect devices Using Bluetooth ".

Add device >

WIFI device networking tutorial

4G device networking tutorial

Add smart device

Device   Album   Me

Add device

RESET

RESET

RESET

Press the reset button for about three seconds. If you hear a beep or see an indicator light flashing, the device reset is successful

○ Confirm that the device has been reset

Next step

No indicator light The prompt tone of the device prevail

Connect devices using Bluetooth

⭘ Searching

✳   Binding devices to mobile phones using Bluetooth

XYX_BLE	
C8:30:38:38:13:65	›

4G device connection network

⌗   Scan the QR code on the device to connect to the 4G network

WiFi device connection network

▨   Scan the QR code generated by the phone using the device

📷   Connect your phone to WiFi signal from device

3. Select the device, connect the device to the network and bind it.

1) WIFI device: Enter the "Wi-Fi Settings" page. Select the corresponding network (router hotspot) and click "Next". The device will automatically connect to the network and succeed.

Note:

* Please select 2.4G hotspot of the router hotspot, not 5G hotspot.

* It is strongly recommended that the name of the router only includes numbers and letters.

Two minutes later, the device will connect to the network. If the device will not successfully connect to the network. You can reset the device to factory settings and return to local mode by long pressing the "R" button for 3 seconds and then releasing it. Perform the operation again from step "1".

2) 4G device: Connect the device to the network and bind it automatically.

XYX_BLE

C8:30:38:38:13:65

lnzon   Refresh

••••••••

Chinanet-2.4G-5440   Signal strength51%

MV52583278   Signal strength50%

FP-630K+_19091831SF   Signal strength50%

电信报装19129964201   Signal strength49%

lzgcb888   Signal strength48%

lnzon   Signal strength45%

MV52132392   Signal strength41%

yuntian   Signal strength34%

Homwing   Signal strength34%

WYD   Signal strength30%

homwing_BOSS   Signal strength30%

ChinaNet-aKvU   Signal strength28%

Xiaomi_D48D   Signal strength28%

SEARCH AGAIN

Next step

Note:

1. About the network name (router name), please do not include special characters such as "." "_" "-" "/", etc,Only numbers and letters.

2. The device is offline.

 please confirm the following questions:

1) Please check the password entered correctly when connecting to the network.

2) Confirm if there are any special characters in the network name and password, and it is recommended that the network password should not exceed 11 characters.

3) The device is within 5 meters of the router or network. Within a distance of 5 meters, the network connection is better.

3. Restore the camera to its factory settings

Please press the reset button on the camera for about 3 seconds and release it until the camera restarts.